

Notice of Allowability

Application No.

10/799,206

Examiner

Robert G. Santos

Applicant(s)

WANG, CHENG-CHUNG

Art Unit

3673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the papers filed on 06 September 2005.
2. ☒ The allowed claim(s) is/are 1, 5, 6 and 8-10, now renumbered as claims 1-6.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


ROBERT G. SANTOS
PRIMARY EXAMINER

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The examiner respectfully agrees with Applicant's arguments on page 5 of his amendment stating that none of the prior art, taken either singly or in combination, is seen to teach or suggest the use of an inflatable mattress having multiple chambers *in combination with* an inflating device comprising a case *built into the inflatable mattress* and having at least one inlet and multiple outlets corresponding to the multiple chambers; a pump connected to the at least one inlet; and multiple controllable valve elements *each* having the distinct structure of at least one spring, *an electromagnetic switch* and a controllable valve connected to the corresponding outlets such that the pump is able to inflate or deflate the multiple chambers of the inflatable mattress, as explicitly recited in Applicant's sole independent claim 1. With respect to the prior art, Applicant's own Patent Application Publication No. 2002/0194678 provides the basic teaching of an inflatable mattress having multiple chambers in combination with a built-in air pump assembly; however, the examiner respectfully asserts that one of ordinary skill in the art would not have found it obvious at the time the invention was made to provide the air pump assembly of Wang '678 with the additional (and more complex) structure of an electromagnetic switch included within each of the controllable valve elements. Hence, it is considered that the application is currently in full and proper condition for allowance.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue


Art Unit: 3673

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert G. Santos whose telephone number is (571) 272-7048. The examiner can normally be reached on Tues-Fr and first Mondays, 10:30 a.m. to 8:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Suzanne L. Barrett can be reached on (571) 272-7053. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Robert G. Santos
Primary Examiner
Art Unit 3673

R.S.
November 27, 2005